

Metal Detector

資正金屬檢出機

For Food & Pharmacy Industries

DETECT ALL METALS:

AL、CU、NI、Stainless、Iron、Non-Ferrous.....

ISO 9001:2015



**UNIQUE BRAND
from TAIWAN**

適用行業(Application):

- ◎ 食品加工業(Food Processing)
- ◎ 製藥業(Pharmacy)
- ◎ 烘焙業(Bakery)
- ◎ 成衣、紡織及製鞋業
(Garment、Textile & Shoe making)
- ◎ 塑料業(Plastic)

創新設計實現

Creativity and Design Realization

客製設計整合

Customer Design and Integration

遠端支援服務

Remote Service / Support



Scan the QR code for Sample Video

立型網扣輸送平台(大型包裝)
MB Conveyor Platforms
for bigger package



Scan the QR code for Sample Video

滑落前翻
Slide-Down Channel
& Flap Forward Reject Device



Scan the QR code for Sample Video

電控斜落(可調式)
Slide-Down Channel
& Electric Reject Device



Scan the QR code for Sample Video

吹氣排除設備加收集網
Air Blast Rejection
w/ Collecting net



掃描QR CODE
Scan the QR CODE



Scan the QR code for Sample Video

氣密直落式
Gravity & Sealed
Detection Channel

SINCE 1983

OVER 30,000 SETS OF COMPUNIC METAL DETECTORS INSTALLED GLOBALLY

公司發展概況

資正電子創立於1983年，從事感應器與探測器的研發、設計製造已有35年以上的經驗，**為全台灣唯一自力研發、製造金屬檢出機的專業廠商**；本公司長期堅持創新實踐，特別針對各行各業客戶他們的各自生產線的獨特需求，努力設計整合，提供最佳金檢整合方案給予客戶，因此曾榮獲德國紐倫堡發明獎、台灣金頭腦獎、台灣烘焙展新品獎…等。身為一家擁有ISO & CE 國際認證的企業，我們致力於提供給客戶優良的品質，完善的遠端售後服務與合理的價格，全系列的規格皆符合HACCP食品安全認證流程中最嚴苛的需求。

以「**資正COMPUNIC**」自有品牌推廣、在台灣自力研發、100%台灣製造金屬檢出機，至今全球安裝實績已超過 30,000台，產品廣泛應用於食品加工業、製藥業、烘焙業、成衣紡織業、製鞋業、塑料業及橡膠業等產業領域，確保客戶產品不受到金屬污染並可維護客戶的品牌信譽。多年來，上述各種產業的新舊客戶不間斷重覆下單，深受肯定!! 一方面為客戶的成長感到喜悅，另一方面更加自我肯定了本公司產品優良的品質及專業的服務；而這驕傲的成果，是來自於我們對於創新科技的發展從未間斷，在專業上，追求機器更高靈敏表現的同時，檢測效果更得到客戶的肯定，而機器的操作設定AI智能化，省去繁雜的操作讓客戶省時省人力，且機器穩定耐用，耗電量極省，可日夜常時間不間斷運作是客戶給予我們最大的迴響!!

秉持「優良的品質」、「優惠的價錢」及「完善的售後服務」一貫的目標，資正永遠為客戶的需求做好準備，以最好的產品與服務行銷於全世界。



資正電子企業股份有限公司

◎ 台北總公司 ◎

7th Fl.-9 No. 1, Wu-Chuan 1 Rd., Hsinchuang Dist., New Taipei City, 248022 Taiwan

地址: 新北市新莊區五權一路1號7樓之9(忠孝大廈) 新北產業園區

TEL電話: 886-2-22992533 FAX傳真: 886-2-22992415 LINE: compunic

E-mail: compunic@ms1.hinet.net Website: <http://www.compunic.com.tw>



◎ 台中分公司 ◎

台中高鐵特區櫻花獨綻

地址: 台中市烏日區

三榮路一段421號

電話: 886-4-2336-9318

傳真: 886-4-2336-2318



◎ 嘉義分公司 ◎

嘉義高鐵站旁，遠雄國寶

地址: 嘉義縣太保市

保鐵一路二段81號

電話: 886-5-371-2577

傳真: 886-5-371-2538



◎ 高雄分公司 ◎

鼎山街跟明誠路交叉口

地址: 高雄市三民區

鼎山街190號

電話: 886-7-342-5586

傳真: 886-7-349-4487



資正新廠基地2175坪(嘉義馬稠後II)
New Land for COMPUNIC new Factory
up to 7200 square meters at Chiayi, Taiwan

◎ 資正新廠基地 ◎

嘉義馬稠後II - 2175坪

地址: 嘉義縣朴子市

資正的榮耀來自您的精挑細選

The honor of COMPUNIC



免設定、效果好

鐵與非鐵一開機同時調整容易學習
操作簡單讓生產線除去煩人的設定



突破高溫、多水份、 高鹽份產品的測試靈敏度。

在對於高溫、鈉含量的醬包類產品，
資正金檢機仍然有更好的實測效果及
靈敏度表現，且耗電極省僅需100W。



一體化自動排除設備

排除設備與輸送平台結合為一體，
降低成本、節省空間。



可穿牆、極適用於符合 認證要求的生產線

資正金檢機輸送平台下方懸空，不管是
穿牆、高低落差銜接，方便產線規劃。



ONLINE遠端支援、健檢、驗證

先進遠端支援團隊使用網路及通訊
科技即時提供維修QR Code短片。



價格合理

百分之百台灣研發製造，
零件取得方便，維修快速!



立型輸送帶式金檢機系列

Metal Detector Series w/ LS Conveyor Platforms

APPLICABLE DETECTORS & BRIEF SPECS					
可選購的感應器 & 簡易規格說明					
MD	感應頭通道尺寸 Aperture Dimension		靈敏度 Sensitivity		
	Width (寬)	Height (高)	FE (鐵)	Non Ferrous CU (非鐵 銅)	SUS (316)
MD 2525	25 cm	25 cm	φ 0.8 mm	φ 1.2 mm	φ 1.8 mm
MD 3214	32 cm	14 cm	φ 0.7 mm	φ 1.2 mm	φ 1.6 mm
MD 3217	32 cm	17 cm	φ 0.8 mm	φ 1.5 mm	φ 1.8 mm
MD 3220	32 cm	20 cm	φ 1.0 mm	φ 1.5 mm	φ 2.0 mm
MD 3232	32 cm	32 cm	φ 1.2 mm	φ 2.0 mm	φ 2.5 mm
MD 4510	45 cm	10 cm	φ 0.7 mm	φ 1.2 mm	φ 1.5 mm
MD 4514	45 cm	14 cm	φ 0.8 mm	φ 1.5 mm	φ 1.8 mm
MD 4517	45 cm	17 cm	φ 1.0 mm	φ 1.5 mm	φ 2.0 mm
MD 4520	45 cm	20 cm	φ 1.2 mm	φ 1.8 mm	φ 2.38 mm
MD 4527	45 cm	27 cm	φ 1.5 mm	φ 2.5 mm	φ 3.0 mm
MD 4532	45 cm	32 cm	φ 1.8 mm	φ 3.0 mm	φ 3.5 mm
MD 6210	62 cm	10 cm	φ 0.8 mm	φ 1.2 mm	φ 1.8 mm
MD 6214	62 cm	14 cm	φ 1.0 mm	φ 1.8 mm	φ 2.38 mm
MD 6217	62 cm	17 cm	φ 1.5 mm	φ 2.0 mm	φ 3.0 mm
MD 6220	62 cm	20 cm	φ 1.8 mm	φ 2.5 mm	φ 3.5 mm
MD 6232	62 cm	32 cm	φ 2.5 mm	φ 3.5 mm	φ 4.0 mm

LS CONVEYOR PLATFORMS & BRIEF SPECS			
w/ Thin Solid PU Plastic Belt			
立型平台 & PU 輸送帶的簡易規格說明			
Model	Length (長)	Width (總寬)	Load Capacity (載重)
LS-PU-25	146 cm or 180 cm	47.5 cm	10 kgs.
LS-PU-32		55 cm	
LS-PU-45		68 cm	
LS-PU-62		85 cm	
LS-PU-100		123 cm	

LS CONVEYOR PLATFORMS & BRIEF SPECS			
w/ Modular Style MB Belt			
立型平台 & 網扣輸送帶的簡易規格說明			
Model	Length (長)	Width (總寬)	Load Capacity (載重)
LS-MB-32	146 cm or 180 cm	55 cm	30 kgs.
LS-MB-45		68 cm	
LS-MB-62		85 cm	
LS-MB-100		123 cm	

APPLICABLE REJECT DEVICE:

A. 快拆、易清洗

Unplug & Clean Easily
Water Proof Platform



B. 斜昇式配直落式定量包裝機

LS-Type Rising Up Conveyor



C. 推排剔除&機台一體化

Push reject device



OPTIONAL ACCESSORIES:

D. 旋排剔除&配大型收集桶

Swivel Arm Rejection Device
+Collecting Box



E. 大型後翻剔除

LS-Type Flap Backward




3

F. 防夾&輕後翻剔除

LS Type Side Pieces
& Collecting Box





Metal Detector

For Food & Pharmacy Industries

ISO 9001:2015



DETECT ALL METALS:

AL、CU、NI、Stainless、Iron、Non-Ferrous.....

金檢機測高難度常溫調理包
For Testing High Difficulty Products

金檢機防夾&輕後翻剔除，無生產線落差
Crunched Free Reject Device



Scan the QR code for Sample Video



Scan the QR code for Sample Video



Scan the QR code for Sample Video



小包裝麵粉
Small Pack Flour



葡萄籃



整箱肉品
Frozen Meat



餅乾
Crackers



混合蔬菜
Mixed Vegetables



肉鬆
Meat Floss



盒裝肉
Frozen Meat



燒賣包
Siomai Pack



整箱魚
Boxed Fish

電木輸送帶式金檢機系列

Metal Detector Series

w/ Bakelite Conveyor Platforms

APPLICABLE DETECTORS & BRIEF SPECS					
可選購的感應器 & 簡易規格說明					
MD	感應頭通道尺寸 Aperture Dimension		靈敏度 Sensitivity		
Model	Width (寬)	Height (高)	FE (鐵)	Non Ferrous CU (非鐵 銅)	SUS (316)
MD1212A	12 cm	12 cm	φ 0.6 mm	φ 0.9 mm	φ 1.2mm
MD1717A	17 cm	17 cm	φ 0.7 mm	φ 1.0 mm	φ 1.2 mm
MD1425	14 cm	25 cm	φ 0.7 mm	φ 1.0 mm	φ 1.5 mm
MD2514	25 cm	14 cm	φ 0.7 mm	φ 1.0 mm	φ 1.5 mm
MD2525	25 cm	25 cm	φ 0.8 mm	φ 1.2 mm	φ 1.8 mm
MD3010	30 cm	10 cm	φ 0.7 mm	φ 1.0 mm	φ 1.5 mm
MD3214	32 cm	14 cm	φ 0.7 mm	φ 1.2 mm	φ 1.6 mm
MD3217	32 cm	17 cm	φ 0.8 mm	φ 1.5 mm	φ 1.8 mm
MD3220	32 cm	20 cm	φ 1.0 mm	φ 1.5 mm	φ 2.0 mm
MD4510	45 cm	10 cm	φ 0.7 mm	φ 1.2 mm	φ 1.5 mm
MD4514	45 cm	14 cm	φ 0.8 mm	φ 1.5 mm	φ 1.8 mm

BAKELITE CONVEYOR PLATFORMS & BRIEF SPECS			
Thin Solid PU Plastic Belt			
電木平台 & PU 輸送帶的簡易規格說明			
Model	Length (長)	Width (寬)	Load Capacity (載重)
BCP-90	90 cm	13 cm	3.0 kgs.
BCP-120	120 cm		
BCP-135	135 cm		
BCP-90	90 cm	43.5 cm	5.0 kgs.
BCP-120	120 cm		
BCP-135	135 cm		

APPLICABLE REJECT DEVICE & OPTIONAL ACCESSORIES

A. 吹排和收集網

MD3010 w/ Air blast reject device & Collecting net



B. 中小後翻排除

MD3010 w/ Flap backward reject device w/ cover



C. 貼底

MD3010 Low Profile platform




D. 旋排加計數器

MD2514 w/ Swivel Arm Device + Counter



E. 資正金檢機搭配檢重系統





Metal Detector

For Food & Pharmacy Industries

ISO 9001:2015



DETECT ALL METALS:

COMPUNIC AL、CU、NI、Stainless、Iron、Non-Ferrous.....

APPLIED FOR TESTING PRODUCTS WITH NORMAL PACKAGE



FLAP BACKWARD REJECT DEVICE W/ COVER
+ FEEDING FUNNEL
+ FLOATING SIDE PIECES



AIR BLAST REJECT DEVICE
+ COLLECTING NET



SWIVEL ARM REJECT DEVICE
+ COUNTER




MD FOR TESTING JARS & BOTTLES

直落式 & 斜落式金檢機系列 Metal Detector Series w/ Gravity & Slide-down Channel

APPLICABLE DETECTORS & BRIEF SPECS					
可選購的感應器 & 簡易規格說明					
MD	感應頭通道尺寸 Aperture Dimension		靈敏度 Sensitivity		
Model	Width(寬)	Height(高)	FE(鐵)	Non Ferrous CU (非鐵 銅)	SUS (316)
MD 1212A	12 cm	12 cm	φ 0.6 mm	φ 0.9 mm	φ 1.2 mm
MD 1717A	17 cm	17 cm	φ 0.7 mm	φ 1.0 mm	φ 1.2 mm
MD 2514	25 cm	14 cm	φ 0.7 mm	φ 1.0 mm	φ 1.5 mm
MD 3010	30 cm	10 cm	φ 0.7 mm	φ 1.0 mm	φ 1.5 mm
MD3214	32 cm	14 cm	φ 0.7 mm	φ 1.2 mm	φ 1.6 mm
MD 6210	62 cm	10 cm	φ 0.8 mm	φ 1.2 mm	φ 1.8 mm
MD 6214	62 cm	14 cm	φ 1.0 mm	φ 1.8 mm	φ 2.38 mm
MD 6217	62 cm	17 cm	φ 1.5 mm	φ 2.0 mm	φ 3.0 mm
MD 6220	62 cm	20 cm	φ 1.8 mm	φ 2.5 mm	φ 3.5 mm


A. 滑落前翻

MD3010 or MD2514 with Slide-down channel & Flap forward reject device



B. 氣密直落

MD1212 with Gravity & Sealed detection channel



Scan the QR code for Sample Video

C. 桌面直落+排除

MD1717 or MD1212 Desk-Top Gravity channel & Diverting reject device



D. 桌面直落

MD1717 or MD1212 Desk-Top Gravity detection channel



Scan the QR code for Sample Video

E. 大型滑落後翻

MD6210 with Slide-down channel & Flap backward reject device + LED bar




Scan the QR code for Sample Video

F. 鋁箔鹽漬專用機 快拆易清洗

INS-330K-30XX MD for Testing Fermented Vegetables & Products w Aluminum packaging



Scan the QR code for Sample Video



Metal Detector

For Food & Pharmacy Industries

ISO 9001:2015



DETECT ALL METALS:

COMPUNIC AL、CU、NI、Stainless、Iron、Non-Ferrous.....

APPLIED FOR INGREDIENTS, GRAINS & POWDER PRODUCTS



Scan the QR code for Sample Video

Slide-down channel & Flap forward reject device



Scan the QR code for Sample Video

Slide-down channel & Flap backward reject device + LED bar



Scan the QR code for Sample Video

Gravity & Sealed detection channel



Scan the QR code for Sample Video

INS for Testing Products w/ Aluminum Packaging

測藥錠 & 瓶裝金檢機系列

Metal Detector Series

for testing Medicine & Bottle

APPLICABLE DETECTORS & BRIEF SPECS.					
可選購的感應器 & 簡易規格說明					
MD	感應頭通道尺寸 Aperture Dimension		靈敏度 Sensitivity		
Model	Width(寬)	Height(高)	FE(鐵)	Non Ferrous CU (非鐵 銅)	SUS (316)
MD0606A	06 cm	06 cm	φ 0.25 mm	φ 0.3 mm	φ 0.5 mm
MD0903A	09 cm	03 cm	φ 0.25 mm	φ 0.4 mm	φ 0.5 mm
MD1203A	12 cm	03 cm	φ 0.25 mm	φ 0.4 mm	φ 0.5 mm
MD1206A	12 cm	06 cm	φ 0.25 mm	φ 0.4 mm	φ 0.5 mm
MD1206H	12 cm	06 cm	φ 0.25 mm	φ 0.4 mm	φ 0.5 mm
MD1206	12 cm	06 cm	φ 0.5 mm	φ 0.4 mm	φ 1.0 mm
MD1212A	12 cm	12 cm	φ 0.6 mm	φ 0.9 mm	φ 1.2 mm
MD1717A	17 cm	17 cm	φ 0.7 mm	φ 1.0 mm	φ 1.5 mm
MD2514	25 cm	14 cm	φ 0.7 mm	φ 1.0 mm	φ 1.5 mm
MD1425	14 cm	25 cm	φ 0.7 mm	φ 1.0 mm	φ 1.5 mm
MD1432	14 cm	32 cm	φ 0.8 mm	φ 1.2 mm	φ 1.8 mm

A. MD1206 (H) Slide-down channel & Rising up conveyor + mini carrier



B. MD1206 (H) Slide-down channel & electric reject device + adjustable height & angle tilt



C. 瓶裝金檢機

MD1425 BCP-120 + Swivel arm reject device + Tray + Side Pieces




D. 鋁箔專用機

INS-330K-30XX for Testing Fermented Vegetables & Products w Aluminum Packaging



鋁箔包
Aluminum Foil
Packaging





Metal Detector

For Food & Pharmacy Industries

ISO 9001:2015



DETECT ALL METALS:

COMPUNIC AL、CU、NI、Stainless、Iron、Non-Ferrous.....

APPLIED FOR PHARMACY INDUSTRY



可升降調角度
1.5 pt Slide-down Channel with Adjustable Height & Angle Tilt



滑落緩升
Slide-down Channel with Rising Up Conveyor



測瓶裝
Bakelite Platform for Testing Bottle

Sensitivity : FE 0.25mm 316SUS 0.5mm CU 0.4mm



MD0903A
Slide-down Channel w/ Electric Reject Device + Adjustable Height & Angle Tilt




大型金檢機系列

Metal Detector Series for Rubber Industry


APPLICABLE DETECTORS & BRIEF SPECS.					
可選購的感應器 & 簡易規格說明					
MD	感應頭通道尺寸 Aperture		靈敏度 Sensitivity		
Model	Width(寬)	Height(高)	FE(鐵)	Non Ferrous CU (非鐵 銅)	SUS (316)
MD6210	62 cm	10 cm	φ 0.8 mm	φ 1.2 mm	φ 1.8 mm
MD6214	62 cm	14 cm	φ 1.0 mm	φ 1.8 mm	φ 2.38 mm
MD6217	62 cm	17 cm	φ 1.5 mm	φ 2.0 mm	φ 3.0 mm
MD6220	62 cm	20 cm	φ 1.8 mm	φ 2.5 mm	φ 3.5 mm
MD6232	62 cm	32 cm	φ 2.5 mm	φ 3.5 mm	φ 4.0 mm
MD10010	100 cm	10 cm	φ 1.5 mm	φ 2.0 mm	φ 3.0 mm



Scan the QR code for Sample Video



LS CONVEYOR PLATFORMS & BRIEF SPECS w/ Modular Style MB Belt Platform 立型平台 & 網扣輸送帶的簡易規格說明			
Model	Length(長)	Width(總寬)	Load Capacity (載重)
LS-MB-62	146 cm	85 cm	40 kgs
LS-MB-100	180 cm	123 cm	



**噴氣標記排除不良產品有記號
讓生產線可不用停下來**

MD10010 LS-MB-100 with
Spray & Mark Reject Device



機型：MD6232 LS-MB-62
產品：米 Rice



機型：MD6220 LS-MB-62
產品：糖 Sugar

橡膠、塑料、包材、容器範例

Metal Detector Series for Raw materials, Rubber Industry, Packaging Materials, Containers

ISO 9001:2015



管通式金檢機檢測化纖棉內金屬異物
MD4520 w/ rising up tube for testing cotton



氣密直落式金檢機檢測寶特瓶塑料內金屬異物
MD1212 Gravity Sealed Detection Channel
for testing plastic bottles



橡膠 Rubber
MD10010-LS-MB-100



橡膠 Rubber
MD6210-LS-PU-6262 Low Profile Platform



食品包裝材料、容器
Food Packaging Materials & Containers
MD3232-LS-MB-32



足球 Soccer
MD4517-LS-MB-45



塑膠原料 Plastic Materials
MD6220-LS-MB-62



橡膠鞋底 Rubber Sole

檢針機系列

Ferrous Needle and Nail Detector Series

APPLICABLE DETECTORS & BRIEF SPECS.		
可選購的感應器 & 簡易規格說明		
Needle Detector	感應頭通道尺寸 Aperture Dimension	靈敏度 Sensitivity
Model	Detection Range 寬(W) x 高(H)	FE(鐵)
INS-300K-6010	60 x 10 cm	φ 1.0 mm
INS-300K-6015	60 x 15 cm	φ 1.2 mm
INS-300K-6020	60 x 20 cm	φ 1.5 mm
INS-330K-6010	60 x 10 cm	φ 1.0 mm
INS-330K-6015	60 x 15 cm	φ 1.2 mm
INS-330K-6020	60 x 20 cm	φ 1.5 mm
INS-300K & 330K	according to customer requirements 可接受量身訂製	

APPLICABLE DETECTORS & BRIEF SPECS.		
可選購的感應器 & 簡易規格說明		
Needle Detector	感應頭通道尺寸 Aperture Dimension	靈敏度 Sensitivity
Model	Detection Range 寬(W) x 高(H)	FE(鐵)
INS-330K-3010	30 x 10 cm	φ 1.0 mm
INS-330K-3015	30 x 15 cm	φ 1.2 mm
INS-330K-3020	30 x 20 cm	φ 1.5 mm
INS-100BH	20 X 40 cm	φ 2.0 mm
INS-120	15 X 08 cm	φ 2.0 mm
INS-LD	according to customer requirements 可接受量身訂製	φ 1.0 mm

輸送帶式檢針機
INS-300K-60XX



Scan the QR code
for Sample Video

大型測整箱檢針機 + 無動力滾筒
INS-330K-6045
modular conveyor belt + Roller




小型輸送帶式檢針機
INS-330K-30XX



Scan the QR code
for Sample Video

置生產線檢針機
INS-330K-60XX
Low Profile Platform



Scan the QR code
for Sample Video

長條型檢針機
Large Scale Needle Detector
INS-LD18030A



Scan the QR code
for Sample Video



Needle Detector

For Garments & Shoes Industry

DETECT METAL FE 1.0 mm

ISO 9001:2015



APPLIED FOR GARMENTS & SHOES INDUSTRY



INS-300K/330K-60XX



Scan the QR code for Sample Video



INS-330K-30XX



Scan the QR code for Sample Video



INS-330K-60XX Low Profile Platform



Scan the QR code for Sample Video



Iron Nail Detector INS-100BH




Scan the QR code for Sample Video

Shoe Toe Nail Detector INS-120



Scan the QR code for Sample Video



INS-LD Large Scale



Scan the QR code for Sample Video



Metal Detector

資正金屬檢出機

ISO 9001:2015



COMPUNIC


特點

- 1、備有多種感測通道尺寸及形狀，各種型態之待測品皆有對應機種。
- 2、備有乾、濕選擇開關，以對應乾或濕之待測品，發揮最佳之測試效果。
- 3、可與現有生產線適切結合，亦提供包含各式輸送帶之完整機種。
- 4、可與市面任何廠牌之排除臂檢重機協同作業。
- 5、適用於高難度產品，如：常溫、高溫、高水份、高鹽份、冷藏、冷凍產品、一整籃和一整箱生鮮肉。
- 6、提供電腦介面機種，可完全配合電腦化、自動化之生管作業。

UNIQUE BRAND from TAIWAN



提供各種自動化剔除設備 Various Types of Automatic Rejection Devices



中小後翻剔除設備



吹氣剔除設備加收集網



健康食品瓶裝金檢機+旋轉剔除設備



載重型金檢機(大型包裝)-40KG +推排



輕後翻剔除設備+收集桶



大型後翻剔除設備



電控斜落(可調式)



滑落前翻金檢機+剔除設備



測原物料氣密直落式金檢機
分流剔除設備



噴氣標記排除不良產品有記號



大型滑落+大型後翻剔除設備



獨立滑落前翻剔除設備

COMPUNIC ELECTRONICS CO., LTD.

TAIWAN MAIN OFFICE 台北總公司

7th Fl.-9 No. 1, Wu-Chuan 1 Rd., Hsinchuang Dist., New Taipei City, 248022 Taiwan

新北市新莊區五權一路1號7樓之9(總公司-新北產業園區)

TEL電話: 886-2-22992533 FAX傳真: 886-2-22992415

E-mail: compunic@ms1.hinet.net

Website: <http://www.compunic.com.tw>

台中分公司-電話: 886-4-2336-9318 / 嘉義分公司: 886-5-371-2577 / 高雄分公司: 886-7-342-5586



COMPUNIC

